






POWDERS




CSB 1	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,75	32	405	550	
Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	
30 Luger	93,5 LRN	3,9/4,3	104,1 CRN	3,9/4,3	97,7 JRN	3,7/4,1	
9 x 19	125,1 LRN	3,7/4,1	124,3 CRN	3,6/4,0	123,3 JRN	3,4/3,8	
9 X 21	125,1 LRN	4,2/4,6	124,3 CRN	4,2/4,6	123,3 JRN	4,3/4,7	
38 SA	125,1 LRN	5,1/5,6	124,3 CRN	4,8/5,3	123,3 JRN	4,9/5,4	
357 Magnum	160 LRN	6,3/7,0	158,9 CTC	6,2/6,9	142,7 JTC	7,5/8,3	
40 S&W	181,9 LTC	4,5/5,0	181,4 CFP	4,6/5,1	170,2 JTC	5,1/5,6	
Shape: disc / Colour: grey / Dimension: 1.7mm / Thickness 0.3mm / Density 545 g/l							




CSB 1P	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,8	34	395	650	
	20	1,30	24	405	650		
Shape: disc / Colour: grey / Dimension: 1.7mm / Thickness 0.3mm / Density 555 g/l							



CSB 1M	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,75	32	406	533	
Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	
30 Luger	93,5 LRN	3,9/4,3	104,1 CRN	3,9/4,3	97,7 JRN	3,7/4,1	
9 X 19	125,1 LRN	3,7/4,1	124,3 CRN	3,6/4,0	123,3 JRN	3,4/3,8	
9 X 21	125,1 LRN	4,2/4,6	124,3 CRN	4,2/4,6	123,3 JRN	4,3/4,7	
38 SA	125,1 LRN	5,1/5,6	124,3 CRN	4,8/5,3	123,3 JRN	4,9/5,4	
357 Magnum	160 LRN	6,3/7,0	158,9 CTC	6,2/6,9	142,7 JTC	7,5/8,3	
40 S&W	181,9 LTC	4,5 / 5,0	181,4 CFP	4,6 / 5,1	170,2 JTC	5,1 / 5,6	
Shape: disc / Colour: grey / Dimension: 1.4mm / Thickness 0.3mm / Density 585 g/l							




CSB 2	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,85	34	400	600	
	12	1,85	36	390	650		
	20/70	1,45	25	405	650		
	16	1,60	28	405	650		
Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	
30 Luger	93,5 LRN	4,5 / 4,9	104,1 CRN	4,3 / 4,7	97,7 JRN	4,3 / 4,7	
9 x 19	125,1 LRN	4,4 / 4,8	124,3 CRN	4,3 / 4,7	123,3 JRN	4,1 / 4,5	
9 X 21	125,1 LRN	5,0 / 5,5	124,3 CRN	5,1 / 5,6	123,3 JRN	4,9 / 5,4	
38 SA	125,1 LRN	6,1/ 6,6	124,3 CRN	5,9 / 6,4	123,3 JRN	5,9 / 6,4	
357 Magnum	160 LRN	8,1/ 8,9	158,9 CTC	8,3 / 9,1	142,7 JTC	9,2 / 10,0	
40 S&W	181,9 LTC	5,0 / 5,5	181,4 CFP	4,7 / 5,2	170,2 JTC	5,6 / 6,2	
Shape: disc / Colour: grey / Dimension: 1.7mm / Thickness 0.3mm / Density 565 g/l							



CSB 3	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,65	30	409	552	
Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	
32 ACP	87,2 LRN	2,1/2,3	79,2 CRN	2,1/2,3	73,5 JRN	2,2/2,4	
30 Luger	93,5 LRN	3,4/3,7	104,1 CRN	3,3/3,6	97,7 JRN	3,3/3,6	
380 ACP	94,6 LRN	2,9/3,2	108,4 CRN	2,3/2,6	92,9 JRN	3,0/3,4	
9 x 19	125,1 LRN	3,1/3,5	124,3 CRN	3,0/3,4	123,3 JRN	2,8/3,2	
38 Special	160 LRN	3,8/4,2	158,9 CTC	3,4/3,8	142,7 JTC	4,0/4,4	
45 ACP	233,2 LRN	4,1/4,6	232,5 CRN	4,2/4,7	229,2 JRN	4,6/5,1	
Shape: disc / Colour: grey / Dimension: 1.7mm / Thickness 0.3mm / Density 535 g/l							




POWDERS




CSB 4	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,50	28	411	577	
Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	
32 ACP	87,2 LRN	1,8/2,0	79,2 CRN	2,1/2,3	73,5 JRN	1,9/2,1	
30 Luger	93,5 LRN	3,6/4,0	104,1 CRN	3,3/3,7	97,7 JRN	3,4/3,8	
380 ACP	94,6 LRN	2,7/3,0	108,4 CRN	2,4/2,7	92,9 JRN	2,8/3,1	
9 x 19	125,1 LRN	3,4/3,7	124,3 CRN	3,2/3,5	123,3 JRN	3,1/3,4	
38 Special	160 LRN	3,7/4,1	158,9 CTC	3,5/3,9	142,7 JTC	3,9/4,3	
45 ACP	233,2 LRN	3,7/4,2	232,5 CRN	4,4/4,9	229,2 JRN	4,2/4,7	

Shape: disc / Colour: grey / Dimension: 1.4mm / Thickness 0.3mm / Density 500 g/l




CSB 5	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,40	28	395	535	
	28	0,87	15	405	600		
Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	
32 ACP	87,2 LRN	1,7 / 1,9	79,2 CRN	1,8 / 2,0	73,5 JRN	1,8 / 2,0	
30 Luger	93,5 LRN	3,1 / 3,4	104,1 CRN	3,0 / 3,3	97,7 JRN	3,0 / 3,3	
380 ACP	94,6 LRN	2,6 / 2,9	108,4 CRN	2,1 / 2,3	92,9 JRN	2,7 / 3,0	
9 x 19	125,1 LRN	3,1 / 3,5	124,3 CRN	3,0 / 3,4	123,3 JRN	2,9 / 3,2	
38 Special	160 LRN	3,3 / 3,6	158,9 CTC	3,0 / 3,3	142,7 JTC	3,4 / 3,8	
45 ACP	233,2 LRN	3,4 / 3,8	232,5 CRN	3,5 / 3,9	229,2 JRN	3,8 / 4,2	

Shape: disc / Colour: grey / Dimension: 1.7mm / Thickness 0.3mm / Density 510 g/l




CSB 6	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,30	24	418	607	
Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	
32 ACP	87,2 LRN	1,5 / 1,7	79,2 CRN	1,7 / 1,9	73,5 JRN	1,9 / 2,1	
32 S&W Long	100 LWC	1,0 / 1,2			71,0 JRN	2,9 / 3,2	
30 Luger	110 LRN	2,7 / 3,0			93,0 JRN	3,1 / 3,5	
30 Tokarev	100 LRN	3,6 / 4,0			85,0 JRN	4,0 / 4,4	
380 ACP			108,4 CRN	2,0 / 2,3	92,9 JRN	2,6 / 2,9	
9 x 19	125,1 LRN	2,8 / 3,1	124,3 CRN	2,7 / 3,0			
40 S&W	160 LRN	3,3 / 3,6	158,9 CTC	3,0 / 3,3	142,7 JTC	3,4 / 3,8	
45 ACP			232,5 CRN	3,2 / 3,5	229,2 JRN	3,6 / 4,0	
45 Colt	255 LGC	5,3 / 5,9			240 JHC	5,7 / 6,3	

Shape: disc / Colour: grey / Dimension: 1.7mm / Thickness 0.3mm / Density 480 g/l



CSB 8	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,00	24	380	680	

Shape: disc / Colour: blue / Dimension: 1.4mm / Thickness 0.3mm / Density 390 g/l



CSB 10	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
		12	1,00	24	387	865	

Shape: disc / Colour: blue / Dimension: 1.4mm / Thickness 0.3mm / Density 355 g/l