





POWDERS



Type	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
PSB+ 1	12	1,75	32	400	550		
	Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)
	30 Luger	110 LRN	3,4 / 3,8			93,0 JRN	4,2 / 4,7
	30 Tokarev	100 LRN	4,9 / 5,4			85,0 JRN	5,4 / 5,9
	380 ACP	93,0 LRN	2,8 / 3,1			93,0 JRN	3,2 / 3,5
	9x19			124 CRN	3,7 / 4,1	115 JRN	4,0 / 4,4
	9x21			124 CRN	4,5 / 4,9	123 JRN	4,5 / 4,9
	38 SA			124 CRN	5,5 / 6,0	123 JRN	5,3 / 5,7
	38 Special	158 LRN	4,2 / 4,7	158 CTC	4,6 / 5,1	143 JTC	5,1 / 5,7
	40 S&W	180 CTC	4,6 / 5,0			170 JTC	5,0 / 5,5
45 ACP	200 LFN	5,6 / 6,2	230 CRN	4,5 / 5,0	230 JRN	5,1 / 5,6	
Shape: flake / Colour: grey / Dimension: 1.5x1.5mm / Thickness 0.45m / Density 570 g/l							



Type	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
PSB+ 2	12	1,85	36	395	650		
	Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)
	30 Luger	110 LRN	3,6 / 4,1			93,0 JRN	4,4 / 4,9
	30 Tokarev	100 LRN	5,3 / 5,8			85,0 JRN	5,8 / 6,4
	9x19	124 LRN	3,4 / 3,8	124 CRN	4,0 / 4,4	115 JRN	4,3 / 4,7
	9x21			124 CRN	4,8 / 5,3	123 JRN	4,8 / 5,2
	38 SA			124 CRN	6,0 / 6,5	123 JRN	5,6 / 6,1
	40 S&W	180 CTC	4,7 / 5,2			170 JTC	5,3 / 5,8
	357 Mag			158 CTC	7,6 / 8,4	143 JTC	8,0 / 8,8
	44 Mag			240 LTC	10,4 / 11,5	240 JSP	10,6 / 11,7
460 S&W	297 LGC	19,2 / 21,0			200 FTX	23,4 / 25,6	
Shape: flake / Colour: pink / Dimension: 1.5x1.5mm / Thickness 0.45m / Density 580 g/l							




Type	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
PSB+ 2SP	12	2,00	36	400	650		
	12	2,00	38	395	700		
	20/70	1,40	28	380	700		
	36/63	0,67	11	395	650		
	Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)
	30 Luger	110 LRN	3,7 / 4,1			93,0 JRN	4,4 / 4,9
	30 Tokarev	100 LRN	5,2 / 5,8			85,0 JRN	6,1 / 6,7
	9x19	124 LRN	3,5 / 3,9	124 CRN	4,4 / 4,8	123 JRN	4,9 / 5,4
	9x21	124 LRN	5,2 / 5,7	124 CRN	5,4 / 5,9	123 JRN	4,9 / 5,4
	38 SA			124 CRN	5,8 / 6,4	123 JRN	5,5 / 6,0
	40 S&W	180 CTC	4,7 / 5,2			170 JTC	5,2 / 5,7
	357 Mag			158 CTC	7,7 / 8,5	143 JTC	8,2 / 9,0
	44 Mag			240 LTC	10,7 / 11,9	240 JSP	10,6 / 11,7
	460 S&W	297 LGC	18,5 / 20,3			200 FTX	23,0 / 25,2
Shape: flake / Colour: pink / Dimension: 1.5x1.5mm / Thickness 0.45m / Density 580 g/l							



Type	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
PSB+ 3	12	1,65	30	410	600		
	Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)
	32 ACP	78 LRN	2,2 / 2,4	80 CRN	2,3 / 2,5	73 JRN	2,5 / 2,8
	32 S&W Long	100 LWC	1,5 / 1,6			71 JRN	3,5 / 3,8
	30 Luger	110 LRN	3,4 / 3,8			93,0 JRN	4,0 / 4,5
	30 Tokarev	100 LRN	4,7 / 5,2			85,0 JRN	5,1 / 5,7
	380 ACP	93,0 LRN	3,1 / 3,4			93,0 JRN	3,2 / 3,5
	9x19			124 CRN	3,7 / 4,1	115 JRN	3,9 / 4,2
	38 Special	158 LRN		158 CTC	4,5 / 5,0	143 JTC	4,9 / 5,4
	45 ACP	200 LFN	5,4 / 5,9	230 CRN	4,6 / 5,1	230 JRN	5,0 / 5,6
	45 Colt	255 LTC	7,2 / 7,9			240 JHC	8,0 / 8,8
Shape: flake / Colour: green / Dimension: 1.5x1.5mm / Thickness 0.45m / Density 560 g/l							




POWDERS




Type	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
PSB+ 5	12	1,40	28	398	504		
				400	550		
	Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)
	32 ACP	78 LRN	1,8 / 2,0	80 CRN	1,9 / 2,2	73 JRN	2,2 / 2,4
	32 S&W Long	100 LWC	1,3 / 1,5			71 JRN	3,2 / 3,5
	30 Luger	110 LRN	3,0 / 3,4			93,0 JRN	3,6 / 4,0
	30 Tokarev	100 LRN	4,2 / 4,6			85,0 JRN	4,6 / 5,1
	380 ACP	93,0 LRN	2,4 / 2,7			93,0 JRN	2,6 / 2,9
	9x19			124 CRN	3,1 / 3,4	115 JRN	3,4 / 3,7
	38 Special	158 LRN	3,7 / 4,1	158 CTC	3,8 / 4,3	143 JTC	4,2 / 4,7
	45 ACP	200 LFN	4,5 / 5,0	230 CRN	3,9 / 4,4	230 JRN	4,3 / 4,7
45 Colt	255 LTC	6,3 / 6,9			240 JHC	6,9 / 7,5	

Shape: flake / **Colour:** grey / **Dimension:** 1.5x1.5mm / **Thickness** 0.45m / **Density** 530 g/l



Type	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
PSB+ 6	12	1,20	24	400	501		

Shape: flake / **Colour:** green / **Dimension:** 1.5x1.5mm / **Thickness** 0.45m / **Density** 480 g/l



Lead							
Type	Gauge	Length	Lead (g.)	Powder (g.)	Velocity (m/s)	Pressure (bar)	
SSB+150	12	70	42	2,25	390	580	
	12	76	50	2,47	385	650	
	20	70	28	1,57	405	600	
	20	70	30	1,60	390	650	
	20	70	32	1,63	380	750	
	28	70	21	1,35	395	580	

Shape: square / **Colour:** black / **Dimension:** 1.5x1.5 mm / **Thickness** 0.45mm / **Density** 545 g/l

Steel							
Type	Gauge	Length	Lead (g.)	Powder (g.)	Velocity (m/s)	Pressure (bar)	
SSB+150	12	70	32	2,05	415	650	
	12	76	32	2,70	470	800	
	12	76	36	2,45	425	850	
	12	76	40	2,10	395	850	
	20	70	24	1,40	410	750	
	Calibre	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)	Bullet	Min/Max (grs)
	30 Luger	110 LRN	4,2 / 4,8			93,0 JRN	5,0 / 5,6
	30 Tokarev	100 LRN	6,2 / 6,7				
	9 x 21			124 CRN	5,5 / 6,0	123 JRN	5,5 / 6,0
	38 SA			124 CRN	6,6 / 7,3	123 JRN	6,8 / 7,5
	357 Mag			158 CTC	8,4 / 9,2	143 JTC	8,8 / 9,6
	44 Mag	240 LTC	12,3 / 13,5			240 JSP	12,9 / 14,2

Shape: square / **Colour:** black / **Dimension:** 1.5x1.5 mm / **Thickness** 0.45mm / **Density** 545 g/l



Type	Gauge	Powder (g.)	Lead (g.)	Velocity (m/s)	Pressure (bar)		
GSB 146	12-76	2,50	36	425	700		
	12-76	2,70	40	395	750		
	12-86	3,10	40	455	800		
	12-86	2,85	44	395	750		
	20-76	1,90	28	425	700		

Shape: cylinder / **Colour:** grey / **Dimension:** 0.85x0.46mm / **Density** 700 g/l